SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA

lead-free

RoHS 2002/95/EC

VOCAL for LOCAL



15 YEAR WARRANTY

uPVC Profile For Doors & Windows System

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

UK GLOBAL UQ - 2698

ATMY®

SHREE RAM Testing Laboratories Pvt. Ltd.

SBPL
uPVC Profile
Committed for Togetherness

Company Introduction

SBPL uPVC Profile manufactured by an Indo German joint venture company with the largest uPVC windows protile extrusion facility in India. Oftering you versatility in various type of applications. High on safety and low on maintenance.SBPL uPVC Profile also caters to electronics industry and cable ducting. With SBPL uPVC Profiles you are sure to get a number of unmatched benefits.

Having established our own brand in the year 2012, we were one of the pioneers and the first companies to launch uPVC windows and doors in India. Since the inception of the company way back in 2012, we have invested a very large amount of time and money in vertical integration of our products. Since the year 2012, we have been very successful in creating the awareness and educating the clientele on PAN India basis, due to which there is a tremendous growth of uPVC windows and doors made by SBPL uPVC Profiles all over India.



SBPL
uPVC Profile
Committed for Togetherness



Mr. Sarvesh Kumar
Managing Director

Our Mission

At SBPL, our mission is to deliver top-quality uPVC profiles that embody durability, energy efficiency, and design excellence. We are committed to innovation, sustainable practices, and customer-centric solutions that enhance the way people live and build. Through continuous improvement and unwavering dedication to quality, we aim to empower architects, builders, and homeowners with products that ensure safety, comfort, and long-lasting performance.

Our Vision

To be a leading force in redefining modern architecture through innovative, sustainable, and superior-quality uPVC solutions. At SBPL, we envision a future where every home and workspace is enhanced by eco-friendly, durable, and aesthetically designed profiles that combine functionality with elegance. We strive to set new standards in the uPVC industry by continuously evolving with technology, prioritizing customer satisfaction, and fostering trust through excellence.



SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA
lead-free
RoHS 2002/95/EC
VOCAL for LOCAL

Our Project

COMPLETED PROJECT


ALS Project
Gorakhpur


Ishan Ashok Residency
Deoghar


KK Construction
Gorakhpur


Government Polytechnic
MAU


Mahant Digvijaya
Ayurveda College


Nirala High -Rise
Greater Noida


LIC
Jaipur


Sarovar Hotel
Chennai


Park Hotel
Goa



NCR Monarch Sec. 1


Balrampur Sugar Mill
Gonda


IGL
Gorakhpur

Our Success Over The Years

500*+
Complete Projects

700*+
Happy Customers

18*+
Ongoing Projects

Ongoing Project

- KK Construction
- Railway Colony Ranchi
- Balrampur Sugar Mill
- Roza Gaon Sugar Mill
- Keyaan Distilleries Gorakhpur
- LPG Housing Praygraj
- DPS Azamgarh
- Palm Paradise
- RPM School Vidisha
- Nirala High-Rise Greater Noida
- Suger Mill gonda
- DPS Muzaffarpur

SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA
lead-free
RoHS 2002/95/EC
VOCAL for LOCAL

Our Profile used in these Projects

ACME HEIGHTS
STAR
KK GROUP
SAHANI DEVELOPERS
AJSHPRA
Greenarch
SHRI GROUP
CARMEL Quality Education
La Residentia
UNNATI FORTUNE GROUP towards a better life
LIC भारतीय जीवन बीमा निगम LIFE INSURANCE CORPORATION OF INDIA
ARIHANT GROUP
HAWELIA GROUP Hamesha Se Hamesha Ke Liye
ISHAAN Restructuring India Group ISHAAN GROUP
Loom Crafts LUXURY OUTDOOR FURNITURE
PARAMOUNT GUIDED BY TOMORROW
RAGHAV GLOBAL SCHOOL EVER TO EXCEL
NCR MONARCH 1,2 & 3 BHK Apartments in Gr. Noida West Epitome of Royal Living
PROJECTALS FINDING & FUNDING A CURE
GOVERNMENT POLYTECHNIC GHOSI MAU
NIRALA ESTATE 2x3 BHK APARTMENTS-PHASE II GH-04, TECHZONE-IV, G. NOIDA WEST
PARAMOUNT GUIDED BY TOMORROW Emotion
MECHANICAL ENGINEERING
ABU SAROVAR PORTICO chennai-kilpauk A SAROVAR HOTEL
काशी हिन्दू विश्वविद्यालय BANARAS HINDU UNIVERSITY
KDPL Keyaan Distilleries Pvt Ltd.
THE PARK Hotel Goa

SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA

Pb lead-free

RoHS 2002/95/EC

VOCAL for LOCAL

Certifications



Certificate of Registration

This is to Certify that
Quality Management System of

M/S SARRAJ BUILDTECH PRIV ATE LIMITED

398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR-201308, UTTAR PRADESH, INDIA

has been assessed and found to conform to the requirements of
ISO 9001:2015
for the following scope :

DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS.

Certificate No : 23EQL31
Initial Registration Date : 19/05/2023 Issuance Date : 19/05/2023
Date of Expiry : 18/05/2026
1st Surve. Due : 19/04/2024 2nd Surve. Due : 19/04/2025

Director

Magnitude Management Services Pvt. Ltd.
Third Floor, A-60, Sector-2, Noida, Gautam Budh Nagar, U.P.-201301, India
e-mail: info@mmscertification.com, website: www.mmscertification.com



Certificate of Registration

This is to Certify that
Environmental Management System of

M/S SARRAJ BUILDTECH PRIV ATE LIMITED

398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR-201308, UTTAR PRADESH, INDIA

has been assessed and found to conform to the requirements of
ISO 14001:2015
for the following scope :

DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS.

Certificate No : 23EELU41
Initial Registration Date : 19/05/2023 Issuance Date : 19/05/2023
Date of Expiry : 18/05/2026
1st Surve. Due : 19/04/2024 2nd Surve. Due : 19/04/2025

Director

Magnitude Management Services Pvt. Ltd.
Third Floor, A-60, Sector-2, Noida, Gautam Budh Nagar, U.P.-201301, India
e-mail: info@mmscertification.com, website: www.mmscertification.com



Certificate of Registration

This is to Certify that
Occupational Health & Safety Management System of

M/S SARVRAJ BUILDTECH PRIVATE LIMITED

398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR-201308, UTTAR PRADESH, INDIA

has been assessed and found to conform to the requirements of
ISO 45001:2018
for the following scope :

DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS.

Certificate No : 23EOLS32
Initial Registration Date : 19/05/2023 Issuance Date : 19/05/2023
Date of Expiry : 18/05/2026
1st Surve. Due : 19/04/2024 2nd Surve. Due : 19/04/2025

Director

Magnitude Management Services Pvt. Ltd.
Third Floor, A-60, Sector-2, Noida, Gautam Budh Nagar, U.P.-201301, India
e-mail: info@mmscertification.com, website: www.mmscertification.com



Certificate of Compliance

UK GLOBAL

We hereby declare that the technical files of all the items in each product group complies with the requirements of Personal Protective Equipment Directive 89/686/EEC.

MANUFACTURER

COMPANY NAME : - M/S SARVRAJ BUILDTECH PRIVATE LIMITED

ADDRESS : - 398, ECOTECH, EXTENSION, KASNA, GREATER NOIDA, GAUTAM, BUDDHA NAGAR, UTTAR PRADESH,-201308, INDIA

PRODUCTS : - DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS

The Certification body has performed an audit of above product quality system covering the design, manufacturing and final inspection of the certified products. The quality system has been assessed, approved and is subject to continuous surveillance Requirements Of Low Voltage (LVD) Directive 2014/35/EU And Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate is issued under the following conditions:
1. It applies only to quality system maintained in the manufacturing of above referenced products/models and it does not substitute the design or examination procedures.
2. The certificate remains valid until the manufacturing conditions with applicable CE requirements or quality systems remain unchanged.
3. The certificate validity is conditioned by positive results or surveillance audits.
4. After fulfilling the relevant EU legislation and CE requirements, the manufacturer shall affix the CE marking to the product.
5. The CE certificate as shown above can be used, under the responsibility of the manufacturer after completion of an EC declaration of conformity and compliance with all EC directives with EN standard requirement. The statement is based on evaluation of sample/samples of above-mentioned products. It does not imply an assessment of whole production.

Certificate Number: UQ-2698
Validity of this certificate can be verified at www.ukglobal.uk

Initial registration date : 17/05/2023 Issue date : 17/05/2023
1st surveillance on or before : 16/05/2024
2nd surveillance on or before : 16/05/2025 Valid until : 16/05/2026

Authorised Signatory

This certificate is the property of UKGlobal Certification & Inspection Limited and shall be returned immediately on request.
71-75 Shelton Street Covent Garden London United Kingdom WC2H9JQ
Website : www. ukglobal.uk, enquiries@ukglobal.uk
Company No.118478

Uk Global Certification & Inspection Limited



ATMY ANALYTICAL LABS PVT.LTD.

TEST REPORT


Report No.: 2206070025 Page 1 of 4 Date: 14-06-2022

M/s SARVRAJ BUILDTECH PVT. LTD.
PLOT No.- 398, ECOTECH 1st EXTENSION, KASNA, GREATER NOIDA, U.P - 201306

Sample Description : UPVC PROFILE 3 TRACK (SBPL)
Sample Received Date : 07-06-2022
Sample Drawn By : Client
Specification : --
Test Requested : Vicat Softening Temperature, MODULUS OF ELASTICITY, Titanium Oxide (TiO2), RESISTANCE TO IMPACT FALLING MASS, TENSILE, RoHS 6 Elements, IMPACT, WELD STRENGTH, HEAT REVERSION, DENSITY, Charpy Impact
Test Method : Refer to Attached Pages.
Test Result : Refer to Attached Pages.

SAMPLE PICTURE

BIS, DGQA & Various Govt. Approved Laboratory
ISO 9001 : 2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Laboratory



SHREE RAM TESTING LABORATORIES PVT.LTD.
CIN:U74999UP2019PTC121280
ISO 9001 : 2015 & ISO 14001 : 2015 Certified Laboratory
Address- C56/10 C-Block, Industrial Area Sector-62, Noida, U.P. 201301
Lab Address - 5K - 164, SK-Block, Sector-116, Noida, U.P. 201306
Mob. No.- 9650534573, 9990118018, Website www: shreeramtestinglab.com
E-mail : info@ shreeramtestinglab.com | srl6.noida@gmail.com | shreeramtestinglab@yahoo.com

TEST REPORT

Sample Analysis

Issued To:- Sarvraj Buildtech Pvt. Ltd.
Plot No-398, Ecotech Ext. Kasna
Greater Noida-201306

Issue Date: 28/06/2023
Test Report No :- SRTLPL-20230615-34

Agency Name:- NA

Sample Description :- UPVC Windown Profile
Sample Received on :- 15/06/2023
Sample Received By :- Given By Client
Ref. & Date :- NA
Name Of Work :- Na
Brand Name :- SBPL
Sample Qty. :- 1000mm = 4 Nos
Analysis Duration :- 17/06/2023 to 28/06/2023

P-1/1

Sr. No.	Parameter	Unit	Test Method	Results
1	Vicat Softening Temp.	°C	EN ISO 306	78.0
2	Flexural Modulus Elasticity	N/mm²	ISO 178	2634.0
3	Resistance to Impact by Falling Mass (Using 1kg, Falling Mass after Conditioning at -10°C for 2hrs		DIN EN 477	No Puncture or No break Observed
4	Heat Ageing (at 150°C for 30 minutes)		BS EN 12608-1	Shall Not Show Defects
5	Heat Reversion Test	%	DIN EN 479	1.30
6	Hardness	Shore d	ISO 868	80.0
7	Density	g/cm3	DIN 53479	1.423
8	Thermal Conductivity	W/mK	ISO 22007	0.17
9	Water Content	%	DIN EN ISO 62	0.04
10	Charpy Impact Strength	Kj/m²	ISO 179-2	60.34

END OF REPORT

Authorised Signatory

Note:- (1) The above results are related only to the test performed on the sample, Endorsement to product is neither inferred.
(2) This report is not to be reproduced wholly or in part &can not be used as an evidence in the court of law & should not be used in any advertising media without special permission in writing.
(3) Sample will be destroyed after 30 days from the date of reporting unless otherwise specified.
(4) Total liability of our lab is limited to the invoice amount.
(5) Report refers to the sample drawn by Shree Ram Testing Laboratories Pvt. Ltd.unless mentioned otherwise.

SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA

Pb lead-free

RoHS 2002/95/EC


VOCAL for LOCAL

State of the Art Infrastructure
Extrusion Line at SBPL Unit










SBPL

uPVC Profile

Committed for Togetherness



Premium Range of

uPVC Profile For Doors & Windows System

SBPL
uPVC Profile
Committed for Togetherness

Product Features

- Cost Efficient
- Corrosion Resistant
- UV Resistant
- Indoor Air Quality
- Bug Repellent
- Maintenance Free
- Termite Resistant
- Robust Design
- Fire Retardent
- Acoustic Insulation

SBPL
uPVC Profile
Committed for Togetherness

Thinking is decisive
teamwork creates wealth

SBPL purpose

Provide customers with satisfactory products, realize corporate value and create social wealth

SBPL spirit

Development, innovation, pragmatism, hard work, dedication

Management philosphy

People-oriented, give full play to the enthusiasm and creativity of employees

Business philosophy

Guided by market demand, customer-centric, talent-based, and development based on innovation

Quality policy

Provide customers with satisfactory products and satisfactory services

Corporate value

Continue to create greater wealth for the company, for employees, and for the society

SBPL
uPVC Profile
Committed for Togetherness

Casement Series



60 Series is designed for casement Doors, Casement Windows with options of single and double glazing



The system comes with co-extruded glassing beads for better finishing and easy installation

SBPL
uPVC Profile
Committed for Togetherness


MAKE IN INDIA

lead-free


RoHS 2002/95/EC

VOCAL for LOCAL


Casement Series




60 CASMENT OUTER FRAME
Code: SB-3001
WEIGHT(KG/M): 1.01
LENGTH: 5.9 M
(STD-6)




60 OUT WARD WINDOW SASH
Code: SB-3002
WEIGHT(KG/M): 1.230
LENGTH: 5 9 M
(STD-6)




60 OUT WARD DOOR SASH
Code: SB-3003
WEIGHT(KG/M): 1.69
LENGTH: 5.9 M
(STD-4)




60 MULLION CASMENT
Code: SB-3004
WEIGHT(KG/M): 1.10
LENGTH: 5 9 M
(STD-6)



FRENCH MULLION / LAP JOINT
Code: SB-3005
WEIGHT(KG/M): 1.067
LENGTH: 5.9 M
(STD-6)




60 SMALL FRAME
Code: SB-3007
WEIGHT(KG/M): 0.890
LENGTH: 5.9 M
(STD-6)




60 SINGLE GLAZING BEAD CASMENT
Code: SB-4001
WEIGHT(KG/M): 0.317
LENGTH: 5.9 M
(STD-20)


Auxiliary Series




CASEMENT 12MM GLASS BEAD
Code: SB-4002
WEIGHT(KG/M): 0.27
LENGTH: 5.9 M
(STD-20)




22MM GLAZING BEAD
Code: SB-4003
WEIGHT(KG/M): 0.209
LENGTH: 5.9 M
(STD-30)




150 DOOR PANEL
Code: SB-150MB2
WEIGHT(KG/M): 0.884
LENGTH: 5.9 M
(STD-5)




60 RIGHT ANGLE BAY CORNER ADAPTOR
Code: SB-C90
WEIGHT(KG/M): 0.71
LENGTH: 5.9 M
(STD-4)




FRAME CONNECTOR
Code: SB-F1
WEIGHT(KG/M): 0.092
LENGTH: 5.9 M
(STD-50)



SHUTTER GLAZING BEAD
Code: SB-SGB
WEIGHT(KG/M): 0.26
LENGTH: 5.9 M
(STD-20)



BLIND LOUVER
Code: SB-CLP
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)



30 MM D. STRIP
Code: SB-D1
WEIGHT(KG/M): 0.16
LENGTH: 5.9 M
(STD-30)

SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA

Pb lead-free

RoHS 2002/95/EC

VOCAL for LOCAL

Casement Series - Colured Profile













SBPL
uPVC Profile
Committed for Togetherness


MAKE IN INDIA

lead-free


RoHS 2002/95/EC

VOCAL for LOCAL


Casement Series - Coloured Profile




60 CASMENT OUTER FRAME
Code: SB-3001
WEIGHT(KG/M): 1.01
LENGTH: 5.9 M
(STD-6)




60 OUT WARD WINDOW SASH
Code: SB-3002
WEIGHT(KG/M): 1.230
LENGTH: 5.9 M
(STD-6)




60 OUT WARD DOOR SASH
Code: SB-3003
WEIGHT(KG/M): 1.69
LENGTH: 5.9 M
(STD-4)



60 MULLION CASMENT
Code: SB-3004
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)




FRENCH MULLION / LAP JOINT
Code: SB-3005
WEIGHT(KG/M): 1.067
LENGTH: 5.9 M
(STD-6)




60 SINGLE GLAZING BEAD CASMENT
Code: SB-4001
WEIGHT(KG/M): 0.317
LENGTH: 5.9 M
(STD-20)


Auxiliary Series




CASEMENT 12MM GLASS BEAD
Code: SB-4002
WEIGHT(KG/M): 0.27
LENGTH: 5.9 M
(STD-20)




22MM GLAZING BEAD
Code: SB-4003
WEIGHT(KG/M): 0.209
LENGTH: 5.9 M
(STD-30)




150 DOOR PANEL
Code: SB-150MB2
WEIGHT(KG/M): 0.884
LENGTH: 5.9 M
(STD-5)




60 RIGHT ANGLE BAY CORNER ADAPTOR
Code: SB-C90
WEIGHT(KG/M): 0.71
LENGTH: 5.9 M
(STD-4)




FRAME CONNECTOR
Code: SB-F1
WEIGHT(KG/M): 0.092
LENGTH: 5.9 M
(STD-50)



SHUTTER GLAZING BEAD
Code: SB-SGB
WEIGHT(KG/M): 0.26
LENGTH: 5.9 M
(STD-20)



BLIND LOUVER
Code: SB-CLP
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)



30 MM D. STRIP
Code: SB-D1
WEIGHT(KG/M): 0.16
LENGTH: 5.9 M
(STD-30)

SBPL
uPVC Profile
Committed for Togetherness

Sliding Series



When it comes to design and style UPVC sliding windows offer a wide range of options. With various colors, Glass options and size choices. You can customize the windows to suit your preferences and interior decor.



Two-panel, three-panel, and four-panel designs are available, providing flexibility in creating the prefect look for your rooms

SBPL
uPVC Profile
Committed for Togetherness


MAKE IN INDIA

lead-free


RoHS 2002/95/EC

VOCAL for LOCAL


Sliding Series




2- TRACK OUTER FRAME
Code: SB-1001
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)




90 SLIDING FRAME 2.5 TRACK
Code: SB-1002
WEIGHT(KG/M): 1.400
LENGTH: 5.9 M
(STD-6)




112 SLIDING FRAME-3T
Code: SB-1003
WEIGHT(KG/M): 1.750
LENGTH: 5.9 M
(STD-4)




66 SLIDING WINDOW SASH
Code: SB-1004
WEIGHT(KG/M): 1.062
LENGTH: 5.9 M
(STD-8)




85 SLIDING DOOR SASH 2
Code: SB-1005
WEIGHT(KG/M): 1.22
LENGTH: 5.9 M
(STD-4)




58 SLIDING SASH D
Code: SB-1006
WEIGHT(KG/M): 0.84
LENGTH: 5.9 M
(STD-8)




52 SCREEN DOOR SASH
Code: SB-1007
WEIGHT(KG/M): 0.506
LENGTH: 5.8-6 Om
(STD-9)




SLIDING 12 MM GLASS BEAD
Code: SB-2001
WEIGHT(KG/M): 0.18
LENGTH: 5.9 M
(STD-30)




SLIDING 22 MM GLASS BEAD
Code: SB-2002
WEIGHT(KG/M): 0.150
LENGTH: 5.9 M
(STD-30)




SLIDING SINGLE GALZED BEAD
Code: SB-2003
WEIGHT(KG/M): 0.270
LENGTH: 5.9 M
(STD-20)




66 SLIDING WINDOW SASH COVER
Code: SB-2004
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)




92 SLIDING DOOR SASH COVER
Code: SB-2005
WEIGHT(KG/M): 0.227
LENGTH: 5.9 M
(STD-20)



IN-LINE ADEPTOR
Code: SB-2006
WEIGHT(KG/M): 0.307
LENGTH: 5.9 M
(STD-10)



42 SASH SLIDING MULLION 2
Code: SB-42SM
WEIGHT(KG/M): 0.84
LENGTH: 5.9 M
(STD-8)



MONORAIL/SLIDING FRAME
Code: SB-M1
WEIGHT(KG/M): 1.24
LENGTH: 5.9 M
(STD-6)

SBPL
uPVC Profile
Committed for Togetherness

MAKE IN INDIA
Pb lead-free
RoHS 2002/95/EC
VOCAL for LOCAL

Sliding Series - Coloured Profile













SBPL
uPVC Profile
Committed for Togetherness


MAKE IN INDIA

lead-free


RoHS 2002/95/EC

VOCAL for LOCAL


Sliding Series - Coloured Profile




2- TRACK OUTER FRAME
Code: SB-1001
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)




90 SLIDING FRAME 2.5 TRACK
Code: SB-1002
WEIGHT(KG/M): 1.400
LENGTH: 5.9 M
(STD-6)




112 SLIDING FRAME-3T
Code: SB-1003
WEIGHT(KG/M): 1.750
LENGTH: 5.9 M
(STD-4)




66 SLIDING WINDOW SASH
Code: SB-1004
WEIGHT(KG/M): 1.062
LENGTH: 5.9 M
(STD-8)




52 SCREEN DOOR SASH
Code: SB-1007
WEIGHT(KG/M): 0.506
LENGTH: 5.8-6 Om
(STD-9)




85 SLIDING DOOR SASH 2
Code: SB-1005
WEIGHT(KG/M): 1.22
LENGTH: 5.9 M
(STD-4)




SLIDING 12 MM GLASS BEAD
Code: SB-2001
WEIGHT(KG/M): 0.18
LENGTH: 5.9 M
(STD-30)




SLIDING 22 MM GLASS BEAD
Code: SB-2002
WEIGHT(KG/M): 0.150
LENGTH: 5.9 M
(STD-30)




SLIDING SINGLE GALZED BEAD
Code: SB-2003
WEIGHT(KG/M): 0.270
LENGTH: 5.9 M
(STD-20)




66 SLIDING WINDOW SASH COVER
Code: SB-2004
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)



92 SLIDING DOOR SASH COVER
Code: SB-2005
WEIGHT(KG/M): 0.227
LENGTH: 5.9 M
(STD-20)



IN-LINE ADEPTOR
Code: SB-2006
WEIGHT(KG/M): 0.307
LENGTH: 5.9 M
(STD-10)



42 SASH SLIDING MULLION 2
Code: SB-42SM
WEIGHT(KG/M): 0.84
LENGTH: 5.9 M
(STD-8)

SBPL
uPVC Profile
Committed for Togetherness


MAKE IN INDIA

lead-free


RoHS 2002/95/EC

VOCAL for LOCAL


Eco Series




SECTION NAME- 2 TRACK
CODE – 101
WEIGHT – 0.930 KG/MTR
STANDARD PACKAGES- 6 Pcs.
(STD-8)




SECTION NAME- 3 TRACK
CODE –ECO 102
WEIGHT- 1.42 KG/MTR
STANDARD PACKAGES- 4 Pcs.
(STD-4)




SECTION NAME- SLIDING WINDOW SASH
CODE – 103
WEIGHT – 0.840 KG/MTR
STANDARD PACKAGES- 8 Pcs.
(STD-8)




ECTION NAME- SLIDING DOOR SASH
CODE – 104
WEIGHT – 1.02 KG/MTR
STANDARD PACKAGES- 6 Pcs.
(STD-6)



SECTION NAME- SLIDING MULLION
CODE – 105
WEIGHT – 0.59 KG/MTR
STANDARD PACKAGES- 8 Pcs.
(STD-8)



SECTION NAME- SINGLE GLAZING BEAD
CODE – 106
WEIGHT – 0.22 KG/MTR
STANDERED PACKAGES- 20 Pcs.
(STD-20)




SECTION NAME- INTERLOCK
CODE – 107
WEIGHT – 0.185 KG/MTR
STANDERED PACKAGES- 20 Pcs.
(STD-20)

SBPL
uPVC Profile
Committed for Togetherness

Our expanding footprint

• Delhi • U.P • Uttrakhand • Haryana • Punjab
• Rajsthan • Chhatisgarh • M.P. • Bihar • Jharkhand
• Odisha • Assam • Chennai • J &K • West Bengal • Goa



Sarvraj Buildtech Private Limited

Plot No. 398, Ecotech-1, Extn. Kasna, Gr. Noida - 201310, (UP)
Khasra No. 549, Village Galand , Tehsil Dhaulana, Dasna, Hapur,
Uttar Pradesh 201015. (Behind Vivekananda College)
sarvrajbuildtech09@gmail.com | sbplupvcprofiles09@gmail.com
+91 9667900425

www.sbplupvcprofiles.com